2

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1) Printing date 22.04.2022 Revision: 08.07.2021 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: MONTANA BLK, M3000 Goldchrome 400ml · Article number: 285943, 295607alt · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC9a Coatings and paints, thinners, paint removers · Process category PROC7 Industrial spraying **PROC11** Non industrial spraying · Application of the substance / the mixture Lacquer \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: MONTANA CANS Häusserstr. 36 D-69115 Heidelberg Tel. +49-6221-36333-30 Fax +49-6221-36333-33 info@montana-cans.com www.montana-cans.com · Further information obtainable from: Department Product Safety • 1.4 Emergency telephone number: Tel.:+49 6266-75-310 Fax +49 6266-75-362 (Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm) UK: Public emergeny phone no: 111 Only for healthcare professionals: 0344 892 0111 Ireland: Poison center if childs have been poisened: 01 809 2166 (8:00 am - 10:00 pm, 7 days) Only for healthcare professionals: 01 809 2566 (24 h / 7 days) Tox Info Suisse 145 (24-h-emergency number) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Aerosol 1 health hazard STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. (Contd. on page 2) GB Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

		(Contd. of page 1)	
~		(contai of page 1)	
₩,	environment		
	environmeni		
A quatio A	auto 1 = HAOO	Vam toxia to aquatia lifa	
Aquatic A		Very toxic to aquatic life.	
Aquatic C	hronic 1 H410	Very toxic to aquatic life with long lasting effects.	
~ < 1 >			
Skin Irrit.	2 НЗ15	Causes skin irritation.	
Eye Irrit.		Causes serious eye irritation.	
STOT SE	3 H335	May cause respiratory irritation.	
· 2.2 Label			
· Labelling	according to Regul	ation (EC) No 1272/2008	
		abelled according to the GB CLP regulation.	
\cdot Hazard pi	ctograms		
	\wedge		
GHS02	GHS07 GHS08	GHS09	
611502			
· Signal wo	rd Danger		
-	-	auto of labelling.	
· nazara-a xylene	etermining compon	enis of indening:	
· Hazard st	atomonts		
		able aerosol. Pressurised container: May burst if heated.	
H315	Causes skin irrita		
H319	Causes serious e		
H335	May cause respir		
H373	May cause damage to organs through prolonged or repeated exposure.		
H410	Very toxic to aqu	atic life with long lasting effects.	
• Precautio	nary statements		
P101	v	is needed, have product container or label at hand.	
P102	Keep out of reach	•	
P210		heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P211 P251	Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.		
P260	Do not breathe s		
P280		gloves / eye protection.	
P284		uate ventilation wear respiratory protection.	
		sh with plenty of soap and water.	
P312		CENTER/doctor if you feel unwell.	
P410+P4		light. Do not expose to temperatures exceeding 50 °C/122 °F.	
P501	Dispose of conte	nts / container in accordance with regional regulations.	
	l information:		
		possible without sufficient ventilation.	
· 2.3 Other			
	f PBT and vPvB ass applicable.	essment	

· vPvB: Not applicable.

(Contd. on page 3)

GB

Page 3/11

s

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

(Contd. of page 2)

3.2 Mixtures Description: Mixture of substances listed below with nonhazardous additions.				
Dangerous components:				
EC number: 905-588-0 Index number: 601-022-00-9 Reg.nr.: 01-2119488216-32	xylene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	25-<50%		
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	20-<25%		
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas IA, H220 Press. Gas (Comp.), H280	12.5-<20%		
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	12.5-<20%		
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane (containing < 0,1 % butadiene (203-450-8)) � Flam. Gas IA, H220 Press. Gas (Comp.), H280	5-<10%		
CAS: 7440-50-8 EINECS: 231-159-6 Reg.nr.: 01-2119480154-42	 copper Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Acute Tox. 4, H302 	2.5-<5%		
CAS: 7440-66-6 EINECS: 231-175-3 Index number: 030-001-01-9 Reg.nr.: 01-2119467174-37	zinc powder -zinc dust (stabilized) 🚯 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<1%		

• Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply.

xylene: Contains ethylbenzene CAS 100-41-4

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

*

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • *After swallowing:* Drink plenty of water and provide fresh air. Call for a doctor immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

Page 4/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. • Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

(Contd. of page 3)

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

(Contd. of page 4)

	ontrol parameters
	dients with limit values that require monitoring at the workplace:
xylen	e
WEL	Short-term value: 441 mg/m ³ , 100 ppm
	Long-term value: 220 mg/m ³ , 50 ppm
	Sk; BMGV
106-9	7-8 butane (containing < 0,1 % butadiene (203-450-8))
WEL	Short-term value: 1810 mg/m ³ , 750 ppm
	Long-term value: 1450 mg/m ³ , 600 ppm
	Carc (if more than 0.1% of buta-1.3-diene)
	-1 acetone
WEL	Short-term value: 3620 mg/m³, 1500 ppm
	Long-term value: 1210 mg/m³, 500 ppm
Ingre	dients with biological limit values:
xylen	
-	V 650 mmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: methyl hippuric acid
Addit	ional information: The lists valid during the making were used as basis.
Wash Store	away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing hands before breaks and at the end of work. protective clothing separately. ot inhale gases / fumes / aerosols.
Wash Store Do no Avoid Avoid Respi	diately remove all soiled and contaminated clothing hands before breaks and at the end of work. protective clothing separately. of inhale gases / fumes / aerosols. contact with the eyes and skin. contact with the eyes. ratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Wash Store Do na Avoia Respi Filter	diately remove all soiled and contaminated clothing hands before breaks and at the end of work. protective clothing separately. of inhale gases / fumes / aerosols. contact with the eyes and skin. contact with the eyes. ratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or
Wash Store Do na Avoid Respire Filter Hand Mater Butyl The s and v Pener Butyl Aceta Butyl	 diately remove all soiled and contaminated clothing hands before breaks and at the end of work. protective clothing separately. of inhale gases / fumes / aerosols. contact with the eyes and skin. contact with the eyes. ratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. A2/P3 protection Protective gloves rator gloves rubber, BR election of the suitable gloves does not only depend on the material, but also on further marks of qualitaries from manufacturer to manufacturer. ration time of glove material rubber gloves with a thickness of 0.4 mm are resistant to: me: 480 min acetate: 60 min
Wash Store Do no Avoid Respit Filter Hand Mate Butyl The s and v Penet Butyl Aceta Butyl Ethyl	 diately remove all soiled and contaminated clothing hands before breaks and at the end of work. protective clothing separately. of inhale gases / fumes / aerosols. contact with the eyes and skin. contact with the eyes. ratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. A2/P3 protection Protective gloves rator gloves rubber, BR election of the suitable gloves does not only depend on the material, but also on further marks of qualitaries from manufacturer to manufacturer. ration time of glove material rubber gloves with a thickness of 0.4 mm are resistant to: one: 480 min

Page 6/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

(Contd. of page 5)

GB

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42- 480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

· Eye/face protection



2

Tightly sealed goggles

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties · General Information · Physical state Aerosol · Colour: Gold coloured · Odour: *Characteristic* · Odour threshold: Not determined. • Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling Not applicable, as aerosol. range · Flammability Not applicable. · Lower and upper explosion limit 1 Vol % (xylene) · Lower: · Upper: 13 Vol % (67-64-1 acetone) · Flash point: Not applicable, as aerosol. · Ignition temperature: $365 \ ^{\circ}C \ (689 \ ^{\circ}F) \ (106-97-8 \ but ane \ (containing < 0.1 \ \%)$ butadiene (203-450-8))) · Decomposition temperature: Not determined. $\cdot pH$ Mixture is non-soluble (in water). · Viscosity: · Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C (68 °F): 8300 hPa (6225.5 mm Hg) (74-98-6 propane) · Density and/or relative density • Density at 20 •C (68 •F): 0.8 g/cm³ (6.7 lbs/gal) · Relative density Not determined. · Vapour density Not determined. • 9.2 Other information · Appearance: · Form: Aerosol · Important information on protection of health and environment, and on safety. · Explosive properties: Not determined. · Solvent content: · Organic solvents: 80.8 % \cdot VOC (EC) 585.0 g/l · VOC-EU% 75.00 % · Solids content: 19.2 % · Change in condition · Evaporation rate Not applicable. (Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

	(Contd. of page 6
· Information with regard to physical hazard	classes
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
\cdot Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	able
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

2

· LD/LC50	values relev	ant for classification:
xylene		
Oral	LD50	3523 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	29000 mg/m3 (rat)
67-64-1 ac	etone	·
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	>15800 mg/kg (rabbit)
Inhalative	LC50/4h	76 mg/l (rat)
7440-66-6	zinc powde	r -zinc dust (stabilized)
Oral	LD50	>2000 mg/kg (rat) (OECD 401)
Inhalative	LC50/4 h	>5410 mg/m3 (rat) (OECD 403)
· Serious ey	e damage/ir	on Causes skin irritation. ritation Causes serious eye irritation. nsitisation No sensitising effects known.
· STOT-sing	gle exposure	<i>and the sensitive effects known.</i> May cause respiratory irritation. ure May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 8)

GB

Page 8/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

(Contd. of page 7)

\cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

xylene

EC50 / 48 h 7.4 mg/l (daphnia magna)

LC50/96 h 13.5 mg/l (fish)

67-64-1 acetone

LC50/96h 8300 mg/l (fish)

EC50/96h 7200 mg/l (algae)

LC50/48 h 8450 mg/l (crustacean (water flea))

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name	
$\cdot ADR$	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOU
·IMDG	AEROSOLS

Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

	(Contd. of page
· IATA	AEROSOLS, flammable
• 14.3 Transport hazard class(es)	
ADR	
· Class	2 5F Gases.
· Label	2.1
IMDG, IATA	
· Class	2.1 Gases.
Label	2.1 Gases. 2.1
14.4 Packing group	
ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	
Marine pollutant:	Yes
Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code):	Warning: Gases.
EMS Number:	<i>F-D,S-U</i>
Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity abov 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class
	except for division 1.4. For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class
• 14.7 Maritime transport in bulk according to IM instruments	<i>O</i> Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
T	Not permitted as Excepted Quantity
• Transport category • Tunnel restriction code	2 D
	~
· IMDG · Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
~ ~ ~	Not permitted as Excepted Quantity
	(Contd. on page

- GB -

Page 10/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

(Contd. of page 9)

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

· UN ''Model Regulation'':

UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- E1 Hazardous to the Aquatic Environment
- P3a FLAMMABLE AEROSOLS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:

· Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- *LC50: Lethal concentration, 50 percent*
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

GB

Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2022

Version number 2 (replaces version 1)

Revision: 08.07.2021

(Contd. of page 10)

Trade name: MONTANA BLK, M3000 Goldchrome 400ml

SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Gas 1A: Flammable gases – Category 1A
Aerosol 1: Aerosols – Category 1
Press. Gas (Comp.): Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
• * Data compared to the previous version altered.

GB